

GENERAL INDEX TO VOLUME XV

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italics*; and previously published scientific names and all other matter, in ordinary type.

A

- Acanthaceae, A new genus of the, 1
 Acetic acid, utilization of, by Azotobacter cultures, 132, 139
 Acids: fatty, Sources of energy for Azotobacter, with special reference to, 113; volatile, recovery of, from standard solutions, 120, utilization of various, by Azotobacter culture, 129
 Anderson, Edgar. The problem of species in the northern blue flag, *Iris versicolor* L. and *Iris virginica* L., 241
 Amsonia, A monograph of the genus, 379
Amsonia, 395; *Amsonia*, 405; *angustifolia*, 398, var. *Texana*, 402; *arenaria*, 423, 434; *brevifolia*, 419, 434; *brevifolia* var. *tomentosa*, 422; *ciliata*, 398, 430, var. *filifolia*, 400, var. *tenuifolia*, 400, var. *Texana*, 402; *Eastwoodiana*, 421; *elliptica*, 403, 430; *elliptica*, 403; *Fremontii*, 411; *hirtella*, 413; *Jonesii*, 414; *Kearneyana*, 415; *latifolia*, 404, 414; *longiflora*, 416, 432; *ludoviciana*, 410; *orientalis*, 424; *Palmeri*, 411, 432; *pogonosepala*, 412; *rigida*, 397, 430; *salicifolia*, 406, var. *ciliolata*, 400; *salpignantha*, 417, 432; *Standleyi*, 413, 432; *Tabernaemontana*, 404, 430, var. *Gattingeri*, 408, var. *salicifolia*, 406; *tenuifolia*, 400; *Texana*, 402, 414; *tomentosa*, 422, 434; *tristis*, 405
Anonymus suffrutex, 404
Ansonia, 396; *angustifolia*, 398; *ciliata*, 398; *elliptica*, 403; *latifolia*, 405; *salicifolia*, 407; *tenuifolia*, 400
Apasalus, 1, 21; *cubensis*, 2, 6, 8, 60; *diffusus*, 1, 6, 8, 60; *humistratus*, 3, 6, 60
 Apocynaceae, Studies in the, II, 341; III, 379
Archangelica officinalis, 93
Articularia, 418
 Ash weight of plants, effect of ultra-violet radiation on, 206
 Athyrium, 101
 Azotobacter, Sources of energy for, with special reference to fatty acids, 113
Azotobacter chroococcum, 118; *vinelandii*, 118

B

- Berberidaceae, A new genus of, 335
Bignonia obovata, 357
Bryophyllum, effect of ultra-violet radiation on plants of, 182, 185; anatomy of rayed leaves of, 199
 Butyric acid, utilization of, by Azotobacter cultures, 134, 140

C

- Calcium salt of fatty acids, ability of Azotobacter cultures to grow in, 149
Calophanes, 25; *amoenus*, 54; *angustifolius*, 36; *angusta*, 31; *bilabiatus*, 39; *bilobatus*, 28; *californica*, 60; *capitatus*, 42; *ciliatus*, 48; *crinitus*, 30; *cubensis*, 60; *decumbens*, 39; *hirsutissimus*, 28; *hirsutus*, 51; *humistrata*, 3; *hygrophiloides*, 51; *Jasminum-mexicanum*, 47; *lavandulaceus*, 32; *linearis*, 36; *maranthonis*, 50; *microphyllus*, 47; *oblongifolia*, 55, var. *angusta*, 31; *oblongifolius*, 40, var. *tezensis*, 37; *ovatus*, 37, 53; *Palmeri*, 60; *peninsularis*, 60; *Pulegium*, 53; *quadrangularis*, 49; *quitenis*, 50; *repens*, 52; *Schiedeanus*, 34, var. *multiflorus*, 34; *Serpyllum*, 46; *Tweedianus*, 59
 Caproic acid, utilization of, by Azotobacter culture, 137, 144
Castanopsis, 101
 Chlorophyll, effect of light rays on decomposition of, 204
Clathrus, 109; *cancellatus*, 109; *colum-natus*, 110; *crispus*, 109; *triscapus*, 109
Coleus Blumei, effect of ultra-violet radiation on plants of, 180; anatomy of rayed leaves of, 198, of rayed stems, 203
Colonnaria, 110
Corylus, 101
Cucumis, effect of ultra-violet radiation on seedlings of, 179; anatomy of rayed leaves of, 196, of rayed stems, 201
Cymopterus glaber, 93
Cymopterus, 91, 92
Cymopterus littoralis, 91, 93, 95, var. *glaber*, 93, var. *glabra*, 99
Cymopterus sect. *Phellopterus*, 92

D

- Dextrose, recovery of, from *Azotobacter* cultures, 119; effect of aeration upon utilization of, 126; utilization of, by different cultures of *Azotobacter*, 128
- Dipteracanthus*, 55; *biflorus*, 55; *diffusus*, 2; *humistratus*, 3; *linearis*, 36; *oblongifolius*, 55; *riparius*, 3
- Dyschoriste, A monograph of the American species of the genus, 9
- Dyschoriste, 25; *amoena*, 54; *angusta*, 31; *angustifolia*, 36; *bilabiata*, 39, 76; *candida*, 60; *capitata*, 42; *ciliata*, 48; *crenulata*, 41, 72; *crinita*, 30; *cubensis*, 2, 60; *decumbens*, 39; *depressa*, 12; *diffusa*, 1, 60; *erecta*, 12, 26; *Greenmanii*, 33, 70; *hirsuta*, 51; *hirsutissima*, 28; *humilis*, 58; *humistrata*, 2, 3, 60; *hygrophiloides*, 51; *jaliscensis*, 35, 74; *Jasminum*, 47; *lavandulacea*, 32; *linearis*, 36; *Lloydii*, 46, 84; *maranhonis*, 50; *maranhonis*, 29, *microphylla*, 47, 86; *Niederleinii*, 34; *oaxacensis*, 43, 78; *oblongifolia*, 55, 64, f. *glabra*, 57; *ovata*, 53; *paraguariensis*, 59, 80; *pinetorum*, 44, 80; *Pringlei*, 42; *Pulegium*, 53; *Purpusii*, 32, 68; *quadrangularis*, 49; *quitensis*, 50; *repens*, 52; *Rosel*, 35, 72; *sagittata*, 45, 82; *saltuensis*, 48; *Schiedeana*, 34; *Schottiana*, 30; *Serpyllum*, 46; *trichanthera*, 29, 66; *Tweediana*, 59; *xylopoda*, 54, 88
- Dysosma; a new genus of Berberidaceae, 335
- Dysosma*, 338; *pleiantha*, 339, 340

E

- Echites bignoniaceflora*, 361
- Eltinge, Ethel T. The effect of ultra-violet radiation upon higher plants, 169
- Euamsonia*, 396
- § *Euamsonia*, 396
- Eustemmadenia*, 353

F

- Flags, northern blue, Problem of species in the, 241
- Formic acid, utilization of, by *Azotobacter* cultures, 132, 139

G

- Gainey, P. L. Sources of energy for *Azotobacter*, with special reference to fatty acids, 113
- § *Galleottiae*, 359
- Genetic relationships of individual differences in *Iris versicolor*, 298

- Glehnia*, 91, 98, 101; *leiocarpa*, 95, 104, 108; *littoralis*, 93, 104, 106, 108; *littoralis*, 94, 96

H

- Haplophyton, 387; *cimicidium*, 430
- Hybridization of *Iris versicolor* and *Iris virginica*, 299
- Hydrogen-ion concentration of plants, effect of ultra-violet rays on, 204
- Hygrophila brasiliensis*, 60; *Schottiana*, 30

I

- Ipomoea*, effect of ultra-violet radiation on plants of, 180; anatomy of rayed leaf of, 196
- Iris*, 241; *americana versicolor*, etc., 254; *carolina*, 248, 254, 316; *caroliniana*, 248, 254; *corollis imberbibus*, 247, 254; *foetidissima*, 286; *fulva*, 286; *georgiana*, 254; *hexagona*, 296; *latifolia Virginiana*, 247, 254, 314; *prismatica*, 286; × *robusta*, 304, 326; *Shrevei*, 248, 254; *versicolor*, 247, 253, 316, 320, 324, 326, 328, 330; *versicolor*, 254, var. *virginea*, 254; *virginica*, 247, 254, 318, 322, 326, 328, 330, 332; *virginica*, 254
- Iris versicolor* L. and *Iris virginica* L., Problem of species in, 241
- Iso-butyric acid, utilization of, by *Azotobacter* cultures, 134, 141

J

- Jordanons, 307
- Juglans, 101

K

- Kobuski, C. E. A new genus of the Acanthaceae, 1; A monograph of the American species of the genus *Dyschoriste*, 9

L

- Lactuca*, effect of ultra-violet radiation on plants of, 181; anatomy of rayed leaves of, 199
- Larsen, Esther L. A new variety of *Vernonia Lindheimeri*, 333
- Laterna*, Concerning the status of the genus, 109
- Laterna*, 110; *angolensis*, 110; *bicolumnata*, 110; *columnata*, 110; *pusilla*, 110; *rhacoides*, 110; *Spegazzini*, 110; *triscapa*, 110, 112
- Linder, D. H. Concerning the status of the genus *Laterna*, 109
- Linostylis*, 26
- § *longiflorae*, 416

M

- Malouetia guatemalensis, 371; *panamensis*, 371
 Mathias, Mildred E. Studies in the Umbelliferae, I, 91
 § *Micranthae*, 411

N

- Nicotiana, effect of ultra-violet radiation on plants of, 180; anatomy of rayed leaf of, 197, of rayed stems, 202
 Nitrogen fixation, 113; effect of aeration on, 125
 Nitrogen, total, recovery of, from Azotobacter cultures, 119

O

- § *obovatae*, 353
Ochrodaphne, 363
Odontostigma, 352; *Galeottiana*, 361

P

- Pasania, 101
 Phaseolus, effect of ultra-violet radiation on plants of, 182, 187, 190; anatomy of rayed leaves of, 200, of rayed stems, 203
 Phellopterus, 92
Phellopterus, 91, 92; *littoralis*, 94, 95, 96
Podophyllum, 335; *difforme*, 339; *Emodi*, 335, 340; *Esquirolis*, 339; *Onzoi*, 339; *peltatum*, 335; *pleianthum*, 339; *versipelle*, 339; *Veitchii*, 339
 Problem of species in the northern blue flags, *Iris versicolor* L. and *Iris virginica* L., 241
 Propionic acid, utilization of, by Azotobacter cultures, 132, 139

R

- Raphanus, effect of ultra-violet radiation on plants of, 181; anatomy of rayed leaves of, 199
Rhazya orientalis, 424
Ruellia, 10; *biflora*, 55; *californica*, 60; *candida*, 60; *cernua*, 10; *ciliata*, 48; *depressa*, 10; *diffusa*, 3; *geminiflora* var. *humilis*, 58; *humistrata*, 3; *microphylla*, 47; *littoralis*, 10; *oblongifolia*, 10, 55; *ovata*, 37, 53; *peninsularis*, 60; *quilensis*, 50; *repens*, 52; *viscosa*, 50

S

- Sphinctosiphon*, 411
 § *Sphinctosiphon*, 411, 418

- Spigelia scabrella*, 60
 Starch content in plants, effect of ultra-violet rays on, 204
Stemmadenia, 352; *Alfari*, 360; *bella*, 361; *bignoniaceflora*, 361; *calycina*, 358; *decipiens*, 363; *Donnell-Smithii*, 369; *eubracteata*, 368, 378; *Galeottiana*, 361, 374; *glabra*, 356, 374; *grandiflora*, 364, 374; *Greenmanii*, 360, 376; *guatemalensis*, 371; *insignis*, 361; *macrophylla*, 362; *mollis*, 358; *obovata*, 357, var. *mollis*, 358; *Palmeri*, 354; *pauciflora*, 366, 378; *Pennellii*, 367; *pubescens*, 357; *Robinsonii*, 369; *sinaloana*, 356, 376; *tomentosa*, 353, var. *Palmeri*, 354, 374
Stemmadenia, A revision of the genus, 341
Stemmaderia, 352; *Galeottianum*, 361

T

- Tabernaemontana Alfari*, 360; *Amsonia*, 369; *angustifolia*, 398; *Donnell-Smithii*, 369, var. *costaricensis*, 369; *grandiflora*, 364; *humilis*, 404; *laurifolia*, 361
 Transpiration, effect of ultra-violet radiation upon, 207

U

- Ultra-violet radiation, effect of, upon higher plants, 169; on lower organisms, 170; upon organic materials, 175; penetration of, 175
 Umbelliferae, Studies in the, I, 91

V

- Valeric acid, utilization of, by Azotobacter cultures, 135, 141
 Variation, intraspecific, in *Iris versicolor* and *Iris virginica*, 258
Vernonia Lindheimeri, 333; var. *leucophylla*, 333, 334

W

- Weight, dry, of plants, effect of ultra-violet radiation on, 205
 Woodson, R. E., Jr. *Dysosma*: a new genus of Berberidaceae, 337; Studies in the Apocynaceae, II, 341; III, 379

Z

- Zahlbrucknera maranhonis*, 50
 Zea Mays, effect of ultra-violet radiation on plants of, 185; anatomy of rayed leaf of, 198, of rayed stems, 202